

TYPICAL PRODUCT CATALOGUE

BATHROOM HARDWARE





Fine Hardware Products of DRAHO Guarantee High-quality Projects

CONTENTS



Action Glass Clamp

Page 01 - 12

Fix Clamp

Page 13 - 18

Mouting, Conector, and Supportting Rod

Page 19 - 31

Door Handle

Page 19 - 36

Tube & PVC Strip

Page 19 - 38

Bathroom Solution

Page 39 - 54



DRAHO was established in 1995 as a high quality accessory for door systems, facades, and glass doors. Is a well-known brand in the construction industry in the country and neighboring countries.






Draho Brands focus on quality, modernity, aesthetics, variety and artistry. With a view to quality and service excellence, **Draho accessories** are always insightful and dedicated to every detail, always improving design and diversifying product lines to better meet the requirements of consumers.

Draho products has been used in many big and famous Projects in many countries such as Malaysia, Indonesia, Singapore, USA ... and have won the trust and appreciation of the users. Over 20 years of development, the Draho brand has left its own distinctive mark on the buildings and has become a well-known brand in the field of architectural accessories. Always innovative, hard work, DRAHO Accessories is committed to bring satisfaction by the highest quality and service.








BHG 110

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8mm-12mm







BHG 120

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8mm-12mm




BHG 130

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8mm-12mm




BHG 140

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8mm-12mm




BHG 150

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8mm-12mm








BHG 160

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8mm-12mm








BHG 210

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8mm-12mm






BHG 220

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8mm-12mm



BHG 230

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8mm-12mm







EG210

Model: CLASS CAMP

Finish: Mirror or Satin

Material: SUS 304

Thickness of glass: 8mm - 12mm







EG220

Model: CLASS CAMP

Finish: Mirror or Satin

Material: SUS 304

Thickness of glass: 8mm - 12mm





EG230

Model: CLASS CAMP

Finish: Mirror or Satin

Material: SUS 304


Thickness of glass: 8mm - 12mm






BHG 320

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm




BHG 330

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm




BHG 340

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm





BHG 350

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm






BHG 510

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm





BHG 520

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm





BHG 540

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm




BHG 550

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm




BHG 650

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm
Open out




BHG 650A

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm
Open In




BHG 652A

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm
Open In




BHG 740

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8 - 12 mm
(Can Lifting model)





BHG 750

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8 - 12 mm
(Can Lifting model)





90 ° CLAMP OF DRILLING

For BHG 100/ BHG 200 Series





135 ° CLAMP OF DRILLING

For BHG 100/ BHG 200 Series



180 ° CLAMP OF DRILLING

For BHG 100/ BHG 200 Series









BTC100A1

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8mm-10mm




BTC100B1

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8mm-10mm




BTC100A3

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8mm-10mm




BTC100A2

Model: GLASS CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8mm-10mm




BHC 110B

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm
Drill size: Ø16




BHC 120

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm
Drill size: Ø16




BHC 130

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm
Drill size: Ø16







BHC 140

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm
Drill size: Ø16







BHC 150A

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm
Drill size: Ø16








BHC 150

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm
Drill size: Ø16








BHC 210B

Model: FIX CLAMPT
Finish: Mirror or Satin
Material: SUS 304
Drill size: Ø16
Thickness of glass: 8mm - 12mm



BHC 220

Model: FIX CLAMPT
Finish: Mirror or Satin
Material: SUS 304
Drill size: Ø16
Thickness of glass: 8mm - 12mm



BHC 230

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm
Drill size: Ø16




BHC 240

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm
Drill size: Ø16




BHC 240A

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm
Drill size: Ø16




BHC 250

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm
Drill size: Ø16




BHC 310

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm
Drill size: Ø16




BHC 310A

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm
Drill size: Ø16




BHC 320

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm
Drill size: Ø16




BHC 330

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm
Drill size: Ø16




BHC 340

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8mm-10mm
Drill size: Ø16




BHC 350A

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8mm-10mm
Drill size: Ø16





BHC 350

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8mm-10mm
Drill size: Ø16




BHC 510

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm
Drill size: Ø15




BHC 520

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm
Drill size: Ø15




BHC 530

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm
Drill size: Ø15



BHC 540


Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8-12mm
Drill size: Ø15






EC210

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Drill size: Ø16
Thickness of glass: 8mm - 12mm




EC220

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Drill size: Ø16
Thickness of glass: 8mm - 12mm




EC230

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Drill size: Ø16
Thickness of glass: 8mm - 12mm



EC240

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Drill size: Ø16
Thickness of glass: 8mm - 12mm



EC250


Model: FIX CLAMP

Finish: Mirror or Satin

Material: SUS 304

Drill size: Ø16

Thickness of glass: 8mm - 12mm




BCI - (19/25)

Model: TOP CLAMP
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: Ø19 & Ø25




BCA - (19/25)

Model: CONNECTOR
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: Ø19 & Ø25



BCD - (19/25)

Model: MOUNTING
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: Ø19 & Ø25




BCD - X(19/25)

Model: MOUNTING
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: Ø19 & Ø25




BCAG - 90T2

Model: CONNECTOR
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: Ø19 & Ø25




BCAG -135

Model:CONNECTOR
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: Ø19 & Ø25




BCAG - 135T2

Model: CONNECTOR
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: Ø19 & Ø25




BCT - (19/25)

Model: CONNECTOR
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: Ø19 & Ø25




BCAG - 90T4

Model: CONNECTOR
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: Ø19 & Ø25




BCAG - 90T3

Model: CONNECTOR
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: Ø19 & Ø25




BCAG -90

Model:CONNECTOR
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: Ø19 & Ø25




BCAG - 90T21

Model: CONNECTOR
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: Ø19 & Ø25






BCD - 26H 2

Model: CONNECTOR
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: Ø19 & Ø25




BCD - 26H

Model: CONNECTOR
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: Ø19 & Ø25




BCD - VC

Model: MOUNTING
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: 10 x 30
Thickness of glass: 8 mm - 12 mm




BCD - V1

Model: MOUNTING
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: 10 x 30
Thickness of glass: 8 mm - 12 mm




BDK - 290

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: 10 x 30
Thickness of glass: 8 mm - 12 mm



BDK - 280


Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: 10 x 30
Thickness of glass: 8 mm - 12 mm



LOGY PROVIDER


BDK - 235

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: 10 x 30
Thickness of glass: 8 mm - 12 mm




BCA - V135

Model: CONNECTOR
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: 10 x 30




BCA - V136

Model: CONNECTOR
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: 10 x 30




BCA - V137

Model: CONNECTOR
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: 10 x 30




BCD - VS

Model: MOUNTING
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: 10 x 30
Thickness of glass: 8mm - 12mm




BCA - V90

Model: CONNECTOR
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: 10 x 30




BCI - V1

Model: MOUNTING
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: 10 x 30
Thickness of glass: 8mm - 12mm




BCI - V2

Model: MOUNTING
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: 10 x 30
Thickness of glass: 8mm - 12mm



BCI - V3

Model: MOUNTING
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: 10 x 30
Thickness of glass: 8mm - 12mm









BTC90

Model: SUPPORT BAR
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8 mm - 12 mm
Bar long: L = ? mm




BTC180

Model: SUPPORT BAR
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8 mm - 12 mm
Bar long: L = ? mm



BTC135

Model: SUPPORT BAR
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8 mm - 12 mm
Bar long: L = ? mm



BLG - 02

Model: SUPPORT BAR
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: 10 x 30
Thickness of glass: 8 mm - 12 mm
Bar long: L = ? mm



BLG - 03

Model: SUPPORT BAR
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: 10 x 30
Thickness of glass: 8 mm - 12 mm
Bar long: L = ? mm



BLG - 04

Model: SUPPORT BAR
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: 10 x 30
Thickness of glass: 8 mm - 12 mm
Bar long: L = ? mm



BLG - 05

Model: SUPPORT BAR
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: 10 x 30
Thickness of glass: 8 mm - 12 mm
Bar long: L = ? mm



BLG - 06

Model: SUPPORT BAR
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: 10 x 30
Thickness of glass: 8 mm - 12 mm
Bar long: L = ? mm



BHD 10 SERIES

Model: HANDLE
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter (D): Ø19 & Ø25
Thickness of glass: 8 mm - 12 mm
Tube thickness: 0.8 - 1.0 mm



CODE	DIMENSION	DRILL SIZE	HOLE DISTANCE
BHD101B	500 x 300 x D(25) x 0.8	Ø14	475 x 275
BHD101A	500 x 300 x D(25) x 1.0	Ø14	475 x 275
BHD102B	450 x 250 x D(25) x 0.8	Ø14	425 x 225
BHD102A	450 x 250 x D(25) x 1.0	Ø14	425 x 225
BHD111B	500 x 300 x D(19) x 0.8	Ø14	480 x 280
BHD111A	500 x 300 x D(19) x 1.0	Ø14	480 x 280
BHD112B	450 x 250 x D(19) x 0.8	Ø14	430 x 230
BHD112A	450 x 250 x D(19) x 1.0	Ø14	430 x 230

BHD 40 SERIES

Model: HANDLE
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter (D): 15 x 30 ; 20 x 20 ; 25 x 25
Thickness of glass: 8 mm - 12 mm
Tube thickness: 1.0 mm



CODE	DIMENSION	DRILL SIZE	HOLE DISTANCE
BHD401	450 x 250 x D1530	Ø14	420 x 220
BHD402	450 x 250 x D2020	Ø12	430 x 230
BHD403	500 x 300 x D2525	Ø12	475 x 275

BHD 20 SERIES

Model: HANDLE
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter (D): Ø19 & Ø25
Thickness of glass: 8 mm - 12 mm
Tube thickness: 0.8 - 1.0 mm



CODE	DIMENSION	DRILL SIZE	HOLE DISTANCE
BHD201A	250 x 1.0 x D(25)	Ø14	225
BHD202B	300 x 0.8 x D(25)	Ø14	275
BHD202A	300 x 1.0 x D(25)	Ø14	275
BHD203B	500 x 0.8 x D(25)	Ø14	475
BHD203A	500 x 1.0 x D(25)	Ø14	475
BHD211A	250 x 1.0 x D(19)	Ø14	230
BHD212B	300 x 0.8 x D(19)	Ø14	280
BHD212A	300 x 1.0 x D(19)	Ø14	280
BHD213B	500 x 0.8 x D(19)	Ø14	480
BHD213A	500 x 1.0 x D(19)	Ø14	480

BHD 108 SERIES



Model: HANDLE
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter (D): Ø25
Thickness of glass: 8mm - 12mm
Tube thickness: 1.0mm

CODE	DIMENSTION	DRILL SIZE	HOLE DISTANCE
BHD108A	450 X D25	Ø14	425
BHD108B	500 X D25	Ø14	475

BHD 50 SERIES



Model: HANDLE
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: Ø19 & Ø25
Thickness of glass: 8 mm - 12 mm
Tube thickness: 0.8 - 1.0 mm
Handle long: 300 mm

BHD 30 SERIES



Model: HANDLE
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: Ø19 & Ø25
Thickness of glass: 8 mm - 12 mm
Tube thickness: 0.8 - 1.0 mm
Handle long: 200 mm

BHD 60 SERIES



Model: HANDLE
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter: Ø19 & Ø25
Thickness of glass: 8 mm - 12 mm
Tube thickness: 0.8 - 1.0 mm
Handle long: 400 mm

BHD 4x SERIES




Model: HANDLE
Finish: Mirror or Satin
Material: SUS 304
Pipe diameter (D): Ø25
Thickness of glass: 8mm - 12mm
Tube thickness: 1.0mm

CODE	DIMENSTION	DRILL SIZE	HOLE DISTANCE
BHD108A	450 X D25	Ø14	425
BHD108B	500 X D25	Ø14	475


BHD 901

Model: HANDLE
 Finish: Mirror or Satin
 Material: SUS 304
 Thickness of glass: 8 mm - 12 mm




BHD 902

Model: HANDLE
 Finish: Mirror or Satin
 Material: SUS 304
 Thickness of glass: 8 mm - 12 mm




BHD 903

Model: HANDLE
 Finish: Mirror or Satin
 Material: SUS 304
 Thickness of glass: 8 mm - 12 mm




BHD 904

Model: HANDLE
 Finish: Mirror or Satin
 Material: SUS 304
 Thickness of glass: 8 mm - 12 mm




BHD 905

Model: HANDLE
 Finish: Mirror or Satin
 Material: SUS 304
 Thickness of glass: 8 mm - 12 mm




BHD 906

Model: HANDLE
 Finish: Mirror or Satin
 Material: SUS 304
 Thickness of glass: 8 mm - 12 mm




BHD 907

Model: HANDLE
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8 mm - 12 mm



BHD 908

Model: HANDLE
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8 mm - 12 mm



BHD 860

Model: HANDLE
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8 mm - 12 mm



BHD 845T

Model: HANDLE (THROUGH HOLE)
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8 mm - 12 mm



BHD 845

Model: HANDLE
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8 mm - 12 mm




BHD 868 S

Model: DOOR LOCK
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8 mm - 12 mm




BHC 001

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8 - 12 mm




BHC 002

Model: FIX CLAMP GUIDE TRACK
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8 - 12 mm



BHC 003

Model: FIX CLAMP
Finish: Mirror or Satin
Material: SUS 304
Thickness of glass: 8 - 12 mm



STU - SERIES

Model: SQUARE TUBE
Material: SUS 304
Tube Thickness: 1.0 - 1.2 - 1.5 mm
Tube Long: L = ? mm



STU 01	L x 1.0 x 10 x 30
STU 02	L x 1.2 x 10 x 30
STU 03	L x 1.5 x 10 x 30


GG - SERIES

Model: CIRCLE TUBE
Material: SUS 304
Tube Thickness: 0.8 - 1.0 - 1.2 - 1.5 mm
Tube Long: L = ? mm




GG 01	L X 0.8 X D(25)
GG 02	L X 1.0 X D(25)
GG 03	L X 1.2 X D(25)
GG 04	L X 1.5 X D(25)
GG 1910	L X 1.0 X D(19)
GG 1912	L X 1.2 X D(19)
GG 1915	L X 1.5 X D(19)

BJ 618




Model: WATER STRIP
Material: PVC
Thickness of glass: 8 mm - 10 mm - 12 mm

BJ 610




Model: WATER STRIP
Material: PVC
Thickness of glass: 8 mm - 10 mm - 12 mm

BJ 635




Model: WATER STRIP
Material: PVC
Thickness of glass: 8 mm - 10 mm - 12 mm

BJ 690



Model: WATER STRIP
Material: PVC
Thickness of glass: 8 mm - 10 mm - 12 mm

BJT 535



Model: MAGNETIC STRIP
Material: PVC For 135o (open out)
Thickness of glass: 8 mm - 10 mm - 12 mm

BJ 611




Model: WATER STRIP
Material: PVC
Thickness of glass: 8 mm - 10 mm - 12 mm

BJT 535A




Model: MAGNETIC STRIP
Material: PVC For 135o (open in)
Thickness of glass: 8 mm - 10 mm - 12 mm

BJT 518



Model: MAGNETIC STRIP
Material: PVC For 90o & 180o
Thickness of glass: 8 mm - 10 mm - 12 mm


BJT 518W



Model: MAGNETIC STRIP
Material: PVC for 180°
Thickness of glass: 10mm



BJT 535W



Model: MAGNETIC STRIP
Material: PVC for 135°
Thickness of glass: 10mm









135 Degrees Bathroom Accessories



BCD (19/25) * 2	BCI (19/25) * 2	BCA (19/25) * 2	BHC 210B * 2	BHC 220 * 4
				
1	2	3	4	5
BHG 240 * 2	BHD 110A * 1	BJT 535 * 2	BJ 635 * 1	BJ 618 * 1
				
6	7	8	9	10

180 Degrees Bathroom Accessories



BCD (19/25) * 2	GG 03-L(mm)	BCI (19/25) * 2	BHC 210B * 2	BHC 220 * 4
				
1	2	3	4	5
BHG 250 * 2	BHD 110A * 1	BJT 518 * 1	BJ 618 * 2	
				
6	7	8	9	

90 Degrees Bathroom Accessories



BCD (19/25) * 2	BCI (19/25) * 3	BHC 210B * 2	BHC 220 * 2	BHC 230 * 2
				
1	2	3	4	5
BHG 220 * 2	BHD 110A * 1	BCA (19/25) * 1	BJT 518 * 1	BJ 618 * 2
				
6	7	8	9	10




DH-TLM001: Sliding Bathroom Accessories




BTL103 * 2	BTL104 * 2	BTL105 * 2	BTL102 * 2	BHD 845 * 1
				
1	2	3	4	5
BTL 109 * 1	STU 03-L (mm)	BCD - V1 * 2	BHC 220 * 4	BJ 690
				
6	7	8	9	10

DH-TLM001: Installation for Sliding Bathroom Accessories

30X10 installation of square pipe with jumping-proof pillar





30X10 Sectional installation of square pipe with jumping-proof pillar





DH - TLM001B Sliding Bathroom Accessories




BTL 103 * 4	BTL 104 * 4	BTL 105 * 4	BTL 102 * 4	BHD 845 * 2	BCA - V90 * 1
					
1	2	3	4	5	6
BTL 109 * 2	STU 03-L (mm)	BCD - V1 * 2	BHC 220 *6	BJ 690	BJT 518
					
7	8	9	10	11	12

DH-TLM002: Sliding Bathroom Accessories






BLT 200 * 2	BLT105 * 2	BTL 109 * 1	BHD 845 * 1	BTL 102 * 2
				
1	2	3	4	5
BCD V1 * 2	BHC 220 * 4	BJ 690	STU 03-L(mm)	
				
6	7	8	9	

DH-TLM002: Installation for Sliding Bathroom Accessories





$$LG = L/2 \quad LY = L/2 + 60$$







TLM008: Installation for Wall - Glass Sliding Accessories

O25: Installation of square pipe with jumping - proof lillar



TLM008: Glass - Glass Sliding Accessories



BTL 800*4	BTL 801*2	BTL 802*2	BLT 803*8	BTL 109*2
				
1	2	3	4	5
BHD845*2	GG03*1	BJ 611		
				
6	7	8		

TLM008: Installation for Glass - Glass Sliding Accessories

O25: Installation of square pipe with jumping - proof lillar

